

AIR CONE AIR COOLER™

Manufacturer, Exporter & Supplier
Heavy Industrial Air Cooler & Industrial Duct Air Cooler



www.aircöneaircooler.in



We "Aircone Air Cooler" are a Partnership firm engaged in Manufacturing, Wholesaling, Exporting, Importing, Supplying And Trading an excellent quality range of Industrial Air Cooler, Evaporative Air Cooler and much more. We offer this complete range at most reasonable prices to our respected clients.

Under the direction. we are able to provide complete satisfaction to our clients and achieved a significant position in the market.

Our Packaging, Forwarding & Logistics Systems are highly professional to make way easy and convenient For each client of any corner of India and rest of the world.

OUR INFRASTRUCTURE

The cutting-edge infrastructural unit of our company has been segregated into many high-functioning departments that enable us to handle client's needs in easy manner. Further, this facility is fitted with up-to-date machinery and tools to ensure smooth business operations. This infrastructural unit undergoes regular maintenance and upgradation for maximizing the production capacity. Our quality control unit is equipped with modern testing tools to ensure best quality products' delivery at client's end.

OUR MANAGEMENT

Superlative quality range

Easy payment modes

Integrated bearing housing to provide long life

Capacity to meet immediate and bulk requirements

Competitive pricing

Excellent installation of our range of product

Customer focused approach

Ethical business policies

Timely delivery

Catering the demand of our clients

Quality approved raw material

Customization facilities

WAREHOUSING, PACKAGING AND LOGISTICS

Our Packaging, Forwarding & Logistics Systems are highly professional to make way easy and convenient For each client of any corner of India and rest of the world.

Cool Up to **1500** sq. ft.
THUNDER
 For Ducting System



Specification Chart :



1 Unit = 1 Hour

Sr. No.	Points	Particulars
1.	Airflow & CMH	18000
2.	Body Material	Atmospheric Resistance Body
3.	Motor	3 Phase/1.1Kw/1.5 Hp/Single Speed/ Pure Copper Winding
4.	Power	1 Unit Per Hour
5.	Cooling Area	1000 Sq. Ft. Practical
6.	Noise	63 DB
7.	Water Tank	35 Liter.
8.	Fan Type	Turbo Axial Fan – 3 Wings – 24 Inch
9.	Air Outlet	660x660 mm
10.	Dimension	100x1100x950 mm
11.	CFM	10588
12.	Air Pressure	180 PA
13.	EE Rasio	20.4
14.	Weight	50 Kg.
15.	Operation Weight (Water)	77-80 Kg.
16.	Dust Protection	Anti Dust Filters
17.	Water Load Protection	Yes
18.	Color	Pure White
19.	Honey Wet Pads	Anti Bacterial Honey Comb – 5090
20.	Drain Valve	Automatic & Manual
21.	Protection	Total Security Protection Box - Motor & Pump Protection
22.	RPM	1450
23.	Model Discharge	Top & Down

Cool Up to **1500** sq. ft.
RUMBLE
 For Wall Mounting



Specification Chart :



1 Unit = 1 Hour

Sr. No.	Points	Particulars
1.	Airflow & CMH	18000
2.	Body Material	Atmospheric Resistance Body
3.	Motor	3 Phase/1.1Kw/1.5 Hp/Single Speed/ Pure Copper Winding
4.	Power	1 Unit Per Hour
5.	Cooling Area	1000 Sq. Ft. Practical
6.	Noise	63 DB
7.	Water Tank	35 Liter.
8.	Fan Type	Turbo Axial Fan – 3 Wings – 24 Inch
9.	Air Outlet	660x660 mm
10.	Dimension	100x1100x950 mm
11.	CFM	10588
12.	Air Pressure	180 PA
13.	EE Rasio	20.4
14.	Weight	50 Kg.
15.	Operation Weight (Water)	77-80 Kg.
16.	Dust Protection	Anti Dust Filters
17.	Water Load Protection	Yes
18.	Color	Pure White
19.	Honey Wet Pads	Anti Bacterial Honey Comb – 5090
20.	Drain Valve	Automatic & Manual
21.	Protection	Total Security Protection Box - Motor & Pump Protection
22.	RPM	1450
23.	Model Discharge	Top & Down

Cool Up to **2500** sq. ft.
TORNADO
 For Ducting System



Specification Chart :



3 Unit = 1 Hour

Sr. No.	Points	Particulars
1.	Airflow & CMH	30000
2.	Body Material	Atmospheric Resistance Body
3.	Motor	3 Phase/3Kw/3 Hp/Single Speed/ Pure Copper Winding
4.	Power	3 Unit Per Hour
5.	Cooling Area	2000 Sq. Ft. Practical
6.	Noise	75 DB
7.	Water Tank	40 Liter.
8.	Fan Type	Turbo Axial Fan – 4 Wings – 28 Inch
9.	Air Outlet	800x800 mm
10.	Dimension	1300x1300x180 mm
11.	CFM	18000
12.	Air Pressure	300 PA
13.	Weight	75 Kg.
14.	Operation Weight (Water)	110-115 Kg.
15.	Dust Protection	Anti Dust Filters
16.	Water Load Protection	Yes
17.	Color	Pure White
18.	Honey Wet Pads	Anti Bacterial Honey Comb – 5090
19.	Drain Valve	Automatic & Manual
20.	Protection	Motor & Pump Protection
21.	RPM	1450
22.	Model Discharge	Top & Down



Thunder
For Ducting System
18000 CMH

Thunder
For Ducting System
18000 CMH



AIRCONE AIR COOLER™

Special Feature of Aircone Air Cooler



100% Quality 1st Fresh PP
Pure White Model
–Specialized Quality Coolers



More Attractive Exterior Design In
Air Cooler Body Mold



Total Security Protection Box
– for Motor, Pump, Drain Valve



Atmospheric Resistance
Air Cooler Body
– Summer, Winter & Rainy



Anti Dust Filters



Healthy & Secure



Top Quality Anti-Bacterial Cellulose Wet Pads – 5090




Long Life 100% Unique Copper Wind Motor

AIRCONE AIR COOLER™



Atmospheric Condition Effect Chart



from 39° down to 29°

Evaporative Air Cooler	Conventional Air Conditioner
Economical to operate	Much higher-cost to operate
Natural, clean air	Recirculated air
Lower installation costs	Higher installation costs
Less Maintenance required	Regular cleaning need
Environmental friendly	Damage to ozonosphere
Allows for poen windows and doors	Effective in enclosed space
Best applicable in hot, dry climates	Effective in any climate
Adds moisture to the air	Removes moisture from the air
Quiet operation (for ducting air coolers)	Some are noisy when running

Ambient Temp. °C	Relative Humidity %. (RH%)								
	10	20	30	40	50	60	70	80	90
10	4	4.5	5.5	6	7	7.5	8	9	9.5
15	7.5	8.5	9.5	10.5	11	12	13	13.5	14
20	11	12	13	14.5	15.5	16.5	17.5	18.5	19
25	14.5	16	17	18.5	20	21	22	23	24
30	17.5	19.5	21	22.5	24	25	26.5	28	29
35		23	25	26.5	28.5	30	31.5	32.5	34
40		26.5	29	31	32.5	34.5	36	37.5	39
45			32.5	35	37	39	40.5	42	44
50			36.5	39	41	43.5	45	47	48.5

Our Top Client



Think
GREEN

AIRCONE AIR COOLER™

INDUSTRIAL DUCT AIR COOLER

INDUSTRIAL AIR COOLER
18000CMH/30000CHM

FACTORY AIR COOLER

MOUNTABLE AIR COOLER
(WINDOW/ WALL/ ROOF)



Plot No. 20, Umiya Industrial Estate

Opp. Bahuchar Green Party Plot,
Kathwada-singarva Road, Odhav, Kathwada,

Gujarat 382430 India



+91 70969 60102 / 03



aircöneaircooler@gmail.com

airconesystems@gmail.com



www.aircöneaircooler.in